

**Eaton Analytical** 

# LABORATORY REPORT

If you have any questions concerning this report, please do not hesitate to call the City of Fountain Water Department at (719) 322-2072

This report may not be reproduced, except in full, without written approval from EEA.



## STATE CERTIFICATION LIST

State	Certification	State	Certification
Alabama	40700	Missouri	880
Alaska	IN00035	Montana	CERT0026
Arizona	AZ0432	Nebraska	NE-OS-05-04
Arkansas	IN00035	Nevada	IN00035
California	2920	New Hampshire*	2124
Colorado	IN00035	New Jersey*	IN598
Colorado Radiochemistry	IN00035	New Mexico	IN00035
Connecticut	PH-0132	New York*	11398
Delaware	IN035	North Carolina	18700
Florida(Primary AB)*	E87775	North Dakota	R-035
Georgia	929	Ohio	87775
Hawaii	IN035	Oklahoma	D9508
Idaho	IN00035	Oregon*	4156
Illinois*	200001	Pennsylvania*	68-00466
Illinois Microbiology	17767	Puerto Rico	IN00035
Illinois Radiochemistry	IN00035	Rhode Island	LAO00343
Indiana Chemistry	C-71-01	South Carolina	95005
Indiana Microbiology	M-76-07	South Dakota	IN00035
Iowa	098	Tennessee	TN02973
Kansas*	E-10233	Texas*	T104704187
Kentucky	90056	Texas/TCEQ	TX207
Louisiana*	LA014	Utah*	IN00035
Maine	IN00035	Vermont	VT-8775
Maryland	209	Virginia*	460275
Massachusetts	M-IN035	Washington	C837
Michigan	9926	West Virginia	9927 C
Minnesota*	018-999-338	Wisconsin	999766900
Mississippi	IN035	Wyoming	IN035
EPA	IN00035		

\*NELAP/TNI Recognized Accreditation Bodies



**Eaton Analytical** 

## Laboratory Report

Client:	City of Fountain	Report:	513744
Attn:	Jasson Palmer	Priority:	Standard Written
/	116 South Main	Status:	Final
	Fountain, CO 80817	PWS ID:	CO0121275

	Sar	mple Information							
EEA ID #	Client ID	Method	Collected Date / Time	Collected By:	Received Date / Time				
4862670	Aga N2	537.1	03/25/21 13:00	Client	03/26/21 09:30				
4862671	Aga N3	537.1	03/25/21 13:02	Client	03/26/21 09:30				
4862672	Aga N4	537.1	03/25/21 13:04	Client	03/26/21 09:30				
4862673	Aga S4	537.1	03/25/21 13:06	Client	03/26/21 09:30				
4862674	Aga Raw	537.1	03/25/21 13:08	Client	03/26/21 09:30				
4862675	Well 3 E2	537.1	03/25/21 13:20	Client	03/26/21 09:30				
4862676	Well 3 E3	537.1	03/25/21 13:22	Client	03/26/21 09:30				
4862678	Well 3 W4	537.1	03/25/21 13:26	Client	03/26/21 09:30				
4862679	Well 3 Raw	537.1	03/25/21 13:28	Client	03/26/21 09:30				
	Report Summary								

Detailed quantitative results are presented on the following pages. The results presented relate only to the samples provided for analysis.

Note: This report may not be reproduced, except in full, without written approval from EEA.

Slea Dreine ASN Title

03/31/2021

Date

Authorized Signature Client Name: City of Fountain Report #: 513744

Page 1 of 5

## Sampling Point: Aga N2

#### PWS ID: CO0121275

	EEA Methods										
Analyte ID #	Analyte	Method	Reg Limit	MRL†	Result	Units	Preparation Date	Analyzed Date	EEA ID #		
335-67-1	Perfluorooctanoic acid (PFOA)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/30/21 23:50	4862670		
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/30/21 23:50	4862670		
375-73-5	Perfluorobutanesulfonic acid (PFBS)	537.1		2.0	6.3	ng/L	03/30/21 06:20	03/30/21 23:50	4862670		
375-85-9	Perfluoroheptanoic acid (PFHpA)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/30/21 23:50	4862670		
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/30/21 23:50	4862670		
375-95-1	Perfluorononanoic acid (PFNA)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/30/21 23:50	4862670		

#### Sampling Point: Aga N3

#### PWS ID: CO0121275

	EEA Methods										
Analyte ID #	Analyte	Method	Reg Limit	MRL†	Result	Units	Preparation Date	Analyzed Date	EEA ID #		
335-67-1	Perfluorooctanoic acid (PFOA)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 00:01	4862671		
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 00:01	4862671		
375-73-5	Perfluorobutanesulfonic acid (PFBS)	537.1		2.0	4.2	ng/L	03/30/21 06:20	03/31/21 00:01	4862671		
375-85-9	Perfluoroheptanoic acid (PFHpA)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 00:01	4862671		
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 00:01	4862671		
375-95-1	Perfluorononanoic acid (PFNA)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 00:01	4862671		

## Sampling Point: Aga N4

#### PWS ID: CO0121275

	EEA Methods										
Analyte ID #	Analyte	Method	Reg Limit	MRL†	Result	Units	Preparation Date	Analyzed Date	EEA ID #		
335-67-1	Perfluorooctanoic acid (PFOA)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 00:11	4862672		
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 00:11	4862672		
375-73-5	Perfluorobutanesulfonic acid (PFBS)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 00:11	4862672		
375-85-9	Perfluoroheptanoic acid (PFHpA)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 00:11	4862672		
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 00:11	4862672		
375-95-1	Perfluorononanoic acid (PFNA)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 00:11	4862672		

## Sampling Point: Aga S4

#### PWS ID: CO0121275

	EEA Methods										
Analyte ID #	Analyte	Method	Reg Limit	MRL†	Result	Units	Preparation Date	Analyzed Date	EEA ID #		
335-67-1	Perfluorooctanoic acid (PFOA)	537.1		2.0	6.4	ng/L	03/30/21 06:20	03/31/21 00:22	4862673		
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	537.1		2.0	3.1	ng/L	03/30/21 06:20	03/31/21 00:22	4862673		
375-73-5	Perfluorobutanesulfonic acid (PFBS)	537.1		2.0	17	ng/L	03/30/21 06:20	03/31/21 00:22	4862673		
375-85-9	Perfluoroheptanoic acid (PFHpA)	537.1		2.0	3.8	ng/L	03/30/21 06:20	03/31/21 00:22	4862673		
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	537.1		2.0	8.3	ng/L	03/30/21 06:20	03/31/21 00:22	4862673		
375-95-1	Perfluorononanoic acid (PFNA)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 00:22	4862673		

#### Sampling Point: Aga Raw

#### PWS ID: CO0121275

	EEA Methods											
Analyte ID #	Analyte	Method	Reg Limit	MRL†	Result	Units	Preparation Date	Analyzed Date	EEA ID #			
335-67-1	Perfluorooctanoic acid (PFOA)	537.1		2.0	19	ng/L	03/30/21 06:20	03/31/21 00:33	4862674			
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	537.1		2.0	24	ng/L	03/30/21 06:20	03/31/21 00:33	4862674			
375-73-5	Perfluorobutanesulfonic acid (PFBS)	537.1		2.0	28	ng/L	03/30/21 06:20	03/31/21 00:33	4862674			
375-85-9	Perfluoroheptanoic acid (PFHpA)	537.1		2.0	7.8	ng/L	03/30/21 06:20	03/31/21 00:33	4862674			
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	537.1		2.0	35	ng/L	03/30/21 06:20	03/31/21 00:33	4862674			
375-95-1	Perfluorononanoic acid (PFNA)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 00:33	4862674			

## Sampling Point: Well 3 E2

#### PWS ID: CO0121275

	EEA Methods										
Analyte ID #	Analyte	Method	Reg Limit	MRL†	Result	Units	Preparation Date	Analyzed Date	EEA ID #		
335-67-1	Perfluorooctanoic acid (PFOA)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 00:54	4862675		
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 00:54	4862675		
375-73-5	Perfluorobutanesulfonic acid (PFBS)	537.1		2.0	3.7	ng/L	03/30/21 06:20	03/31/21 00:54	4862675		
375-85-9	Perfluoroheptanoic acid (PFHpA)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 00:54	4862675		
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 00:54	4862675		
375-95-1	Perfluorononanoic acid (PFNA)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 00:54	4862675		

#### Client Name: City of Fountain

### Sampling Point: Well 3 E3

#### PWS ID: CO0121275

	EEA Methods										
Analyte ID #	Analyte	Method	Reg Limit	MRL†	Result	Units	Preparation Date	Analyzed Date	EEA ID #		
335-67-1	Perfluorooctanoic acid (PFOA)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 01:04	4862676		
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 01:04	4862676		
375-73-5	Perfluorobutanesulfonic acid (PFBS)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 01:04	4862676		
375-85-9	Perfluoroheptanoic acid (PFHpA)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 01:04	4862676		
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 01:04	4862676		
375-95-1	Perfluorononanoic acid (PFNA)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 01:04	4862676		

#### Sampling Point: Well 3 W4

#### PWS ID: CO0121275

	EEA Methods											
Analyte ID #	Analyte	Method	Reg Limit	MRL†	Result	Units	Preparation Date	Analyzed Date	EEA ID #			
335-67-1	Perfluorooctanoic acid (PFOA)	537.1		2.0	6.5	ng/L	03/30/21 06:20	03/31/21 01:15	4862678			
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	537.1		2.0	3.9	ng/L	03/30/21 06:20	03/31/21 01:15	4862678			
375-73-5	Perfluorobutanesulfonic acid (PFBS)	537.1		2.0	13	ng/L	03/30/21 06:20	03/31/21 01:15	4862678			
375-85-9	Perfluoroheptanoic acid (PFHpA)	537.1		2.0	4.6	ng/L	03/30/21 06:20	03/31/21 01:15	4862678			
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	537.1		2.0	13	ng/L	03/30/21 06:20	03/31/21 01:15	4862678			
375-95-1	Perfluorononanoic acid (PFNA)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 01:15	4862678			

#### Sampling Point: Well 3 Raw

#### PWS ID: CO0121275

	EEA Methods											
Analyte ID #	Analyte	Method	Reg Limit	MRL†	Result	Units	Preparation Date	Analyzed Date	EEA ID #			
335-67-1	Perfluorooctanoic acid (PFOA)	537.1		2.0	14	ng/L	03/30/21 06:20	03/31/21 01:26	4862679			
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	537.1		2.0	20	ng/L	03/30/21 06:20	03/31/21 01:26	4862679			
375-73-5	Perfluorobutanesulfonic acid (PFBS)	537.1		2.0	17	ng/L	03/30/21 06:20	03/31/21 01:26	4862679			
375-85-9	Perfluoroheptanoic acid (PFHpA)	537.1		2.0	7.3	ng/L	03/30/21 06:20	03/31/21 01:26	4862679			
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	537.1		2.0	34	ng/L	03/30/21 06:20	03/31/21 01:26	4862679			
375-95-1	Perfluorononanoic acid (PFNA)	537.1		2.0	< 2.0	ng/L	03/30/21 06:20	03/31/21 01:26	4862679			

† EEA has demonstrated it can achieve these report limits in reagent water, but can not document them in all sample matrices.

Reg Limit Type:	MCL	SMCL	AL
Symbol:	*	^	!

#### Lab Definitions

**Continuing Calibration Check Standard (CCC) / Continuing Calibration Verification (CCV) / Initial Calibration Verification Standard (ICV) / Initial Performance Check (IPC) -** is a standard containing one or more of the target analytes that is prepared from the same standards used to calibrate the instrument. This standard is used to verify the calibration curve at the beginning of each analytical sequence, and may also be analyzed throughout and at the end of the sequence. The concentration of continuing standards may be varied, when prescribed by the reference method, so that the range of the calibration curve is verified on a regular basis. CCL, CCM, and CCH are the CCC standards at low, mid, and high concentration levels, respectively.

**Internal Standards (IS)** - are pure compounds with properties similar to the analytes of interest, which are added to field samples or extracts, calibration standards, and quality control standards at a known concentration. They are used to measure the relative responses of the analytes of interest and surrogates in the sample, calibration standard or quality control standard.

**Laboratory Duplicate (LD)** - is a field sample aliquot taken from the same sample container in the laboratory and analyzed separately using identical procedures. Analysis of laboratory duplicates provides a measure of the precision of the laboratory procedures.

Laboratory Fortified Blank (LFB) / Laboratory Control Sample (LCS) - is an aliquot of reagent water to which known concentrations of the analytes of interest are added. The LFB is analyzed exactly the same as the field samples. LFBs are used to determine whether the method is in control. FBL, FBM, and FBH are the LFB samples at low, mid, and high concentration levels, respectively.

Laboratory Method Blank (LMB) / Laboratory Reagent Blank (LRB) - is a sample of reagent water included in the sample batch analyzed in the same way as the associated field samples. The LMB is used to determine if method analytes or other background contamination have been introduced during the preparation or analytical procedure. The LMB is analyzed exactly the same as the field samples.

Laboratory Trip Blank (LTB) / Field Reagent Blank (FRB) - is a sample of laboratory reagent water placed in a sample container in the laboratory and treated as a field sample, including storage, preservation, and all analytical procedures. The FRB/LTB container follows the collection bottles to and from the collection site, but the FRB/LTB is not opened at any time during the trip. The FRB/LTB is primarily a travel blank used to verify that the samples were not contaminated during shipment.

If applicable, the calculation of the matrix spike (MS) or matrix spike duplicate (MSD) percent recovery is as follows: (MS or MSD value - Sample value) \* 100 / spike target / dilution factor = **Recovery %** 

Matrix Spike Duplicate Sample (MSD) / Laboratory Fortified Sample Matrix Duplicate (LFSMD) - is a sample aliquot taken from the same field sample source as the Matrix Spike Sample to which known quantities of the analytes of interest are added in the laboratory. The MSD is analyzed exactly the same as the field samples. Analysis of the MSD provides a measure of the precision of the laboratory procedures in a specific matrix. SDL, SDM, and SDH / LFSMDL, LFSMDM, and LFSMDH are the MSD or LFSMD at low, mid, and high concentration levels, respectively.

Matrix Spike Sample (MS) / Laboratory Fortified Sample Matrix (LFSM) - is a sample aliquot taken from field sample source to which known quantities of the analytes of interest are added in the laboratory. The MS is analyzed exactly the same as the field samples. The purpose is to demonstrate recovery of the analytes from a sample matrix to determine if the specific matrix contributes bias to the analytical results. MSL, MSM, and MSH / LFSML, LFSMM, and LFSMH are the MS or LFSM at low, mid, and high concentration levels, respectively.

Quality Control Standard (QCS) / Second Source Calibration Verification (SSCV) - is a solution containing known concentrations of the analytes of interest prepared from a source different from the source of the calibration standards. The solution is obtained from a second manufacturer or lot if the lot can be demonstrated by the manufacturer as prepared independently from other lots. The QCS sample is analyzed using the same procedures as field samples. The QCS is used as a check on the calibration standards used in the method on a routine basis.

**Reporting Limit Check (RLC)** / **Initial Calibration Check Standard (ICCS)** - is a procedural standard that is analyzed each day to evaluate instrument performance at or below the minimum reporting limit (MRL).

**Surrogate Standard (SS) / Surrogate Analyte (SUR)** - is a pure compound with properties similar to the analytes of interest, which is highly unlikely to be found in any field sample, that is added to the field samples, calibration standards, blanks and quality control standards before sample preparation. The SS is used to evaluate the efficiency of the sample preparation process.

🔅 eurofins		n Analytical						ler # <u>3</u> ch # <u>5</u>			Э
www.EurofinsUS.com/Eaton CHAIN OF CUSTODY RECOR	D						Pag	ie <u>(</u> o	f /		
Shaded area for EEA use on											
REPORT TO:		SAMPLER (Signature)		PWS ID #	STATE (sample origin)	PROJEC	CT NAME	PC	D#		
Jus Ha Moore (714)322 2073		Jan Mar		(20121275		Bil	really PFc				ш
BILL TO: 116 S.Mala SK	/	COMPLIANCE Yes MONITORING	No	POPULATION SERVED	SOURCE WATER	/	ppi			VERS	D TIME
Foundaly Co Sox17			X	29,000	Well 3 + Agn Trochent Pods	Preservat	ive Checks			NTAINEF	MATRIX CODE TURNAROUND
LAB Number CC	LLECTION	SAMPLING SITE		TEST NA		pH accep-	Residual Chlorine	CHLORI	NATED	F CO	TURNAF
	TIME AM PI					table? √	(P/A)	YES	NO		
1 4hano 3/25/21 2 01 3/25/21	/00 K			PFC					X	2	pr su
3 (077 3/25/2)	104 1			PFL					A		DU SW
4 (13 5/25/21				PIEC					×		Dw Sw
5 674 3/25/21		Aga RAN		PFC					X	2	Du Su
6 015 <u>J125/21</u>	120 ×			PIEC					x	2	D-S-
7 ONU 3125121	122 1	Well3 E3 Well3 E4 X		PFL					x		PUSU
8 PT 077 3/25/21 8 V UN 8 3/25/21	156	Wells W4		pret.		-			X		DUSU
10 679 3125/2	128	Wells for		pp pp					X		DUSW
11 0/00/01		Nem pri									
12											
13											
RELINQUISHED BY:(Signature)	DATE TIME	RECEIVED BY:(Signature)	DATE	TIME LAB RESERVES T	THE RIGHT TO RETURN UNUSED PORTIO	NS OF NON-AQU	JEOUS SAMPLES	TO CLIENT			
1 Ma	32521 130			LAB COMMENTS	Marine Car	mail	C IDQ	and	in		
BELINQUISHED BY:(Signature)	AM P	RECEIVED BY:(Signature)	DATE	AM PM A ala NOT	-receive, seri	-pus	1.5	Jen			
			1 1	AM PM TIME by mista	ila or 321	.A					
RELINQUISHED BY:(Signature)	DATE TIME	RECEIVED FOR LABORATORY BY:	DATE	AM PM TIME CONDITIONS UPON RECI		01	1				
	AM P	Rilly pott	1	AM PM	Ambient -	0.0	¶ ₀ <sub>C Upon</sub>	Receipt	-	N/A	
MATRIX CODES:	TURN-AROUND TIME	TAT) - SURCHARGES									
DW-DRINKING WATER RW-REAGENT WATER GW- GROUND WATER EW-EXPOSURE WATER SW- SURFACE WATER PW-POOL WATER WW-WASTE WATER	50% RW* = Rush Written: (5	orking days) 0% RV* = Rush Verbal: (5 working days) vorking days) 75% service not available for all testing		rbal: (3 working days) IW* 100% :: (3 working days) SP* = 125% CALL 8 hours CALL		time remai	eceived unanr ining may be s 135 Issue 8.0	subject to add	titional char	ges.	ding
<u> </u>											
Sample analysis will be provided according to the stan EEA.	dard EEA/Water Services	Terms, which are available upon request. Any other terr	ms proposed by Custo	omer are deemed material alterations	s and are rejected unless expre	essly agreed	to in writing	by			
00											
<u>ර</u> ස											